



The diagram illustrates a mechanical assembly, possibly a pump or motor, with the following components labeled:

- 10**: A vertical support or mounting bracket on the left side.
- 11**: A curved structural member or housing part on the left.
- 9**: A vertical rectangular component, possibly a valve or piston.
- 8**: A horizontal rectangular component, possibly a base or support.
- W1**: A central rectangular component, possibly a motor or pump body.
- W2**: A horizontal rectangular component, possibly a base or support.
- W3**: A vertical rectangular component, possibly a valve or piston.
- MS**: A motor or pump component, indicated by a dashed line.
- M**: A motor or pump component, indicated by a dashed line.
- MH**: A motor or pump component, indicated by a dashed line.
- A**: A small circular component, possibly a pin or bolt.
- G**: A small circular component, possibly a pin or bolt.
- 2**: The main housing or casing of the assembly.
- 4**: A dashed line indicating a boundary or internal structure.
- 5**: The base of the assembly, which is a wide, flat rectangular block.
- 6**: A horizontal rectangular component, possibly a base or support.


**FIG. 2**  
(PRIOR ART)



**FIG. 3**  
(PRIOR ART)



**FIG. 4**  
(PRIOR ART)



**FIG. 5**  
(PRIOR ART)




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 12




FIG. 9A




FIG. 10A




FIG. 10B




FIG. 13




FIG. 14A




FIG. 14B




FIG. 15A




FIG. 15B




FIG. 16






FIG. 17A




FIG. 17B




FIG. 18




FIG. 19A

Fig. 1 is a cross-sectional view of a device 5. The device has a base 8 with a central channel 8C. A component 8FP is located on the left side of the channel, and a component 8RP is on the right side. A dashed line with arrows indicates a path through the channel 8C, labeled T.

FIG. 33




FIG. 20A




FIG. 20B




FIG. 20C




FIG. 20D




FIG. 21C




FIG. 21A




FIG. 21B




FIG. 22A




FIG. 22B




FIG. 23A




FIG. 23B




FIG. 23C

FIG. 25




FIG. 26A




FIG. 26B



A cross-sectional view of a mechanical assembly. A large, curved component labeled 6 is positioned at the top. Below it, a rectangular block labeled 67 is shown. To the left of block 67 is a smaller rectangular component labeled 68. To the right of block 67 is a vertical assembly consisting of a hatched section labeled 69, a horizontal section labeled 66, and a large, curved section labeled 10PP. A small circular feature is located between block 67 and the vertical assembly.

FIG. 27C

DOCKET NO.: TN-1488




FIG. 28A




FIG. 28B




FIG. 29




FIG. 29A




FIG. 30




FIG. 31




FIG. 32